



advancedexercise.com | 861 SouthPark Drive #100, Littleton, CO 80120 | 800.520.1112

CONSULTANT

Franci Alberding falberding@advancedexercise.com Phone:

Fax:

Date: April 06, 2018 Quote Expires: 45 day(s) **Proposal # 032075-R12**

BILL TO Maricopa Rec Center

SHIP TO Maricopa Rec Center

Model	Brand	Description	Specifications	Unit Price	Qty	Total Ext
MISC	Advanced Exercise	2720-US Concept 2 Ski Erg Stand		180.00	2	\$360.00

^	CARDIO EQ	UIPMENT				
Model	Brand	Description	Specifications	Unit Price	Qty	Total Ext
2712-US	Concept 2	Model D Indoor Rower with PM5 (Black)	 Light Gray powder coated frame Includes PM5 Monitor Wireless Heart Rate via ANT+ & Bluetooth Smart Heart Rate transmitter not included Adjustable Footrest & Ergonomic Handle Low profile design 14" seat height Quick release frame lock & casters for storage 96" L x 24" W x 14" Seat Height Unit weight 57lbs. 	900.00	10	\$9,000.00
2715-US	Concept 2	Concept2 SkiErg with PM5 (Black)	Black powder coated frame Requires wall mounting unless optional floor stand is purchased Includes PM5 Monitor Wireless Heart Rate via ANT+ & Bluetooth Smart Heart Rate transmitter not included Ergonomic strapless handles 20.5" W x 16" D x 83.5" H (Wall Mounted) Unit weight 46lbs.	770.00	2	\$1,540.00





s	TRENGTH	I EQUIPMENT				
Model	Brand	Description	Specifications	Unit Price	Qty	Total Ext
HS-CP	Hammer Strength	Hammer Select Chest Press	 2" x 4" and 2" x 3" 11 gauge steel tubing Start Position is adjusted in five 10-degree increments Lift & Lock Seat System Rear Weight Stack Shroud Add On Incremental Weight System Built-in foot bar enhances user stabilization Machine Weight: 560 lbs Weight Stack: 295 lbs Dimensions: 41"L x 57"W x 64"H 	2,620.50	1	\$2,620.50
HS-CP-7003	Hammer Strength	Hammer Select Chest Press SE & Full Front Shroud Upgrade	 Additional Upgrades to Base Hammer Strength Select Easy Adjust Ratchet Roller Seat Integrated Incremental Weight System Front Weight Stack Shrouds 	493.85	1	\$493.85
HS-RW	Hammer Strength	Hammer Select Row	 2" x 4" and 2" x 3" 11 gauge steel tubing Start Position is adjusted in five 10-degree increments Lift & Lock Seat System Rear Weight Stack Shroud Add On Incremental Weight System Overhead pivot creates natural arc of motion Multiple hand positions provide variety of exercises Machine Weight: 590lb. Weight Stack: 295lb. Dimensions: 52"L x 34"W x 71"H Made in USA 	2,620.50	1	\$2,620.50
HS-RW-7003	Hammer Strength	Hammer Select Row SE & Full Front Shroud Upgrade	Additional Upgrades to Base Hammer Strength Select Easy Adjust Ratchet Roller Seat Integrated Incremental Weight System Front Weight Stack Shrouds	493.85	1	\$493.85
HS-BC	Hammer Strength	Hammer Select Biceps Curl	 2" x 4" and 2" x 3" 11 gauge steel tubing Start Position is adjusted in five 10-degree increments Lift & Lock Seat System Rear Weight Stack Shroud Add On Incremental Weight System Arm pad is angled for stability Pivot is positioned for ideal alignment Angled hand grips reduce wrist strain Machine Weight: 450lb. Weight Stack: 200lb. Dimensions: 45"L x 41"W x 55"H Made in USA 	2,384.25	1	\$2,384.25





Model	Brand	Description	Specifications	Unit Price	Qty	Total Ext
HS-BC-7003	Hammer Strength	Hammer Select Bicep Curl SE & Full Front Shroud Upgrade	 Additional Upgrades to Base Hammer Strength Select Easy Adjust Ratchet Roller Seat Integrated Incremental Weight System Front Weight Stack Shrouds 	493.85	1	\$493.85
HS-TE	Hammer Strength	Hammer Select Triceps Extension	 2" x 4" and 2" x 3" 11 gauge steel tubing Start Position is adjusted in five 10-degree increments Lift & Lock Seat System Rear Weight Stack Shroud Add On Incremental Weight System Angled seat and arm pads for stability Handle pivots automatically to accommodate varying forearm lengths Machine Weight: 470lb. Weight Stack: 200lb. Dimensions: 45"L x 44"W x 55"H Made in USA 	2,384.25	1	\$2,384.25
HS-TE-7003	Hammer Strength	Hammer Select Triceps Extension SE & Full Front Shroud Upgrade	 Additional Upgrades to Base Hammer Strength Select Easy Adjust Ratchet Roller Seat Integrated Incremental Weight System Front Weight Stack Shrouds 	493.85	1	\$493.85
HS-SLC	Hammer Strength	Hammer Select Seated Leg Curl	 2" x 4" and 2" x 3" 11 gauge steel tubing Start Position is adjusted in five 10-degree increments Lift & Lock Seat Back System Rear Weight Stack Shroud Add On Incremental Weight System Back pad adjusts from seated position for correct alignment Adj. thigh pad with handles for stabilization Machine Weight: 515lb. Weight Stack: 295lb. Dimensions: 55"L x 34"W x 55"H Made in USA 	2,868.00	1	\$2,868.00
HS-SLC-7003	Hammer Strength	Hammer Select Seated Leg Curl SE & Full Front Shroud Upgrade	Additional Upgrades to Base Hammer Strength Select Easy Adjust Ratchet Roller Seat Back Integrated Incremental Weight System Easy Adjust Tibia Pad Front Weight Stack Shrouds	667.25	1	\$667.25





Model	Brand	Description	Specifications	Unit Price	Qty	Total Ext
HS-LE	Hammer Strength	Hammer Select Leg Extension	 2" x 4" and 2" x 3" 11 gauge steel tubing Start Position is adjusted in five 10-degree increments Lift & Lock Seat Back System Rear Weight Stack Shroud Add On Incremental Weight System Adjustments are accessible from seated position Machine Weight: 570lb. Weight Stack: 295lb. Dimensions: 47"L x 41"W x 64"H Made in USA 	2,710.50	1	\$2,710.50
HS-LE-7003	Hammer Strength	Hammer Select Leg Extension SE & Full Front Shroud Upgrade	 Additional Upgrades to Base Hammer Strength Select Easy Adjust Ratchet Roller Seat Back Integrated Incremental Weight System Easy Adjust Tibia Pad Front Weight Stack Shrouds 	667.25	1	\$667.25
MTSDP	Hammer Strength	MTS Decline Press	 Dual Weight Stack Overhead Iso Lateral Motion Thermo Rubber Hand Grip with Aluminum Collars Roller Seat Adjustment Full Front & Rear Shrouds Heavy Duty Kevlar Drive Belt (2)150 lb. Weight Stacks 39"L x 64"W x 66"H Unit Weight 755 lbs. Made in the USA 	4,989.00	1	\$4,989.00
CMDAP	Life Fitness	Signature Series Cable Motion Dual Adjustable Pulley	 Oval frame 11-gauge tubing with powder coat finish 1" solid steel weight plates Rear weight stack shrouds 22 adjustment positions per column 1:4 resistance ratio 3 position pull up station Accessory kit & storage included Machine Weight: 1265lb. Weight Stack: 2 x 390lb. Dimensions with pull-up handles: 44"L x 62"W x 95"H Made in USA 	5,524.00	1	\$5,524.00





Model	Brand	Description	Specifications	Unit Price	Qty	Total Ext
HS-FLY	Hammer Strength	Hammer Select Pectoral Fly / Rear Deltoid	 2" x 4" and 2" x 3" 11 gauge steel tubing Start Position is adjusted in five 10-degree increments Lift & Lock Seat System Rear Weight Stack Shroud Add On Incremental Weight System 2 exercise choices in one machine Machine arms pivot to accommodate forearm length Handle positions help eliminate readjusting seat between exercises Machine Weight: 580lb. Weight Stack: 295lb. Dimensions: 49"L x 56"W x 71"H Made in USA 	2,969.90	1	\$2,969.90
HS-FLY-7002	Hammer Strength	Hammer Select Pectoral Fly / Rear Deltoid SE Upgrade	Additional Upgrades to Base Hammer Strength Select Easy Adjust Ratchet Roller Seat Integrated Incremental Weight System	346.80	1	\$346.80
PL-VSQ	Hammer Strength	V-Squat	 11-gauge steel frame with powder coat finish Angle of back pad and footpad ensures normal squatting motion Curved arc of motion to reduce back and knee strain Dual safety stops—one adjustable 2 Standard weight horns Plate Loaded with 80 lb. starting resistance Made in USA 91"L x 42"W x 81"H Machine weight: 530 lbs. 	3,629.00	1	\$3,629.00
Comments: * NJPA pricing	g applied		Subtot	al:		\$47,256.60
			Freight, Delivery and Insta	all: ax:		6,002.00 4,111.32
			Tot	al:		\$57,369.92





Terms & Conditions

Terms: 50% deposit required prior to ordering, balance due on delivery. All other terms and credit lines are subject to credit approval. Invoice will be due and payable, based on the original requested installation date, unless notified in writing 60 days prior of the requested installation date. We accept cash, checks, money orders, and wire transfers of funds. A late payment fee will be assessed at a rate of 1.5% (18% annual) per month on any unpaid balance remaining 30 days after the due date. Special Orders: A 100% prepayment is required for all customized products including but not limited to custom colors, sports flooring and products with logos such as plates, dumbbells and platforms.

Return Policy: Any returns require approval in writing by Advanced Exercise Project Management. A minimum 25% restocking fee, plus freight, will be incurred for all non-custom products returned. Customized products are nonreturnable. All products with color choices are defined as custom products.

Bolt Down Requirements: Life Fitness recommends that all strength training equipment be secured to the floor in order to prevent tipping, rocking or displacement which might occur in the event of unanticipated use of the equipment. Life Fitness requires that certain strength training equipment (specifically the Synrgy 360 90, T, XS, XM, HD Elite Half Rack/Short Base, Athletic Series Rigs, Athletic Series Racks with Wing option, Cybex PWR Play, Synrgy Outdoor BlueSky and other products to be used for body weight strap training) be secured to the floor. In the case of Synrgy 360S, T, XS, XM and the Elite HD Half Rack Short Base, the customer acknowledges:

raining) be secured to the floor. In the case of Synrgy 360S, T, XS, XM and the Elite HD Half Rack Short Base, the customer acknowledges:
• Customer has determined the proper placement of the equipment to be secured. Customer Initial • Customer has identified and informed Advanced Exercise of the location of any utility, service lines, including but not limited to post tension cables. It is the customer's responsibility to identify the locations of any cables or lines prior to installation. Customer Initial
 Customer has confirmed that the subfloor consists of no less than 4.75 inches of concrete. (Synrgy Outdoor BlueSky requires a minimum 4.5 inches of concrete Customer Initial Customer has obtained any and all consents to the drilling of holes in the flooring and subflooring. Customer Initial
f your order includes any of the equipment requiring bolting to the floor, initials are required above and an additional signed waiver will be required to place the order. Additional products may require bolting to the floor, wall or ceiling. Bolting is not included on these products unless otherwise noted on the quotation. Customer is responsible for bolting these products to meet the manufacturer's requirements. This includes TRX, Core Energy, Boxing mounts and other products that require bolting to the facility structure.
Wall & Ceiling Attached Items: The installation of any items such as TRX Multi Mounts., X Mounts, Wall Mat Racks, etc. that require politing to walls or ceilings are not included in the proposal unless otherwise noted.
Flooring Installation: Refer to the product specifications to ensure that the sub floor meets the material installation requirements. Freight offloading, inside delivery, adhesive, moisture tests, moisture reducers, base boards, sub floor prep, sub floor cleaning, ransition strips and existing floor removal and disposal are not included unless otherwise noted on the quotation.
Storage: We reserve the right to assess storage fees not to exceed 1.5% per month, or fraction thereof and request payment in full on he related customer's invoice, when a customer's original requested delivery date is delayed by circumstances beyond our control.
Faxes: We collect sales or use taxes only in jurisdictions where we are licensed to do so. Customer agrees to accept sole liability and esponsibility to pay for any and all uncollected sales or use tax liabilities, related penalties and interest that arise as a result of the purchase of products and/or services from our company.
Security: Until all products are paid in full, customer hereby grants to, and Advanced Exercise shall retain, a security interest in and ien on all products sold to the customer.
accept the terms and conditions of this quote.
Signature:
Name:
Date:



Customer Requested Install Date: