NARRATIVE REPORT FOR "VILLAS AT STONEGATE"

Located in Maricopa, Arizona.

Preliminary Plat Application

BFH GROUP, LLC

3707 E. Southern Avenue Maricopa, AZ 85206

Ph: 480.734.1446

Email: davidb@thebfhgroup.com

Attn: David M. Bohn, P.E.

Job # 00202110090 Prepared: NOV. 2022 SUB22-40

PRELIMINARY PLAT NARRATIVE REPORT FOR "VILLAS AT STONEGATE" SUB22-40

TAL	BLE OF CONTENTS	PAGE
1.	INTRODUCTION	3
	LOCATION AND DESCRIPTION OF SURROUNDING AREA	
3.	COMPLIANCE WITH GENERAL PLAN & ZONING	4
4.	CIRCULATION AND ACCESS	7
5.	PROPOSED INFRASTRUCTURE MASTERPLAN	8
	DRAINAGE AND TOPOGRAPHY	
7.	CONCLUSION	

Appendix A:

Exhibit A – Vicinity Map

Exhibit B – Aerial Photo

Exhibit C – Parcel Map

Exhibit D – Zoning Map

Exhibit E – Preliminary Plat



1. INTRODUCTION

BFH Group is delighted to present to the City of Maricopa this application with corresponding narrative for the Preliminary Plat approval for the Villas at Stonegate development. Per request by the applicant, the purpose of the narrative is to request for a Preliminary Plat Approval to the proposed approximate 16.10 gross acre Townhome-style residential development located at the southeast corner of Stonegate Road and Alan Stephens Parkway, City of Maricopa, AZ 85138, more specifically APN: 510-12-054J; -052(portion thereof). The proposed development is intended to be 293 townhome style units with a proposed gross density of 18.20 du/ac. The proposed development is envisioned to provide a more practical use of the existing vacant land. The proposed property has already received Planning and Zoning and City Council approvals for rezoning modification, Minor General Plan Amendment permitting the Land Use designation to change from E-Employment to HDR-High Density Residential, and most recently, Design Review approval. Preliminary Plat approval is the sequential step in the development process for the Villas at Stonegate, and ultimately Final Plat. The proposed development is intended to offer for-sale units that will provide spacious 3 bedroom 2 bathroom townhomes of varying styles with lavish landscaping and resident amenities. This development will be critical to help answer the continued demand for housing supply in the City of Maricopa with a more reasonably affordable housing product.

2. LOCATION AND DESCRIPTION OF SURROUNDING AREA

As mentioned above, the proposal is to develop a 16.10 gross acre townhome-style multi-family residential development with lush landscape, tree-lined frontage, and amenities that will complement the adjacent neighborhood. The property is located on the west side of Stonegate Road and just south of Alan Stephens Parkway. It is currently vacant undeveloped land except for several existing pavement street tie ins.

Immediately north of the proposed site is an existing subdivision called Sycamore Parcel 11, owned and maintained by several property owners and HOA, all zoned CR-3. To the south and east of the site, is undeveloped commercial land owned and maintained by CAPDEVLO60 LLC, zoned CI-1 (PAD Overlay). To the immediate west is more vacant land of similar commercial zoning CI-1 owned by Maricopa Stonegate LLC and Omni Maricopa Land Acquisition LLC.



Coordination efforts shall be initiated with neighbors to harmonize this development with surrounding property owners.

See Table 1 and corresponding Figures below providing the existing General Plan Land Use and Zoning:

	TABLE 1: SURROUNDING PROPERTY DESIGNATIONS								
LOCATION	GENERAL PLAN	ZONING	LAND USE						
			MULTI-						
	HIGH DENSITY RESIDENTIAL		FAMILY						
SITE	HDR	RH	RESIDENTIAL						
		CR-3 (SINGLE	SINGLE						
		FAMILY	FAMILY						
NORTH	MASTER PLANNED COMMUNITY	RESIDENTIAL)	RESIDENTIAL						
SOUTH	EMPLOYMENT	CI-1	COMMERCIAL						
			CHARTER						
EAST	MIXED USE	CI-1	SCHOOL						
		PAD							
		(ZONING							
		CASE PAD20-	VACANT						
WEST	MIXED USE / EMPLOYMENT	05)	LAND						

The two main accesses to the property will be proposed at Stonegate Road. This roadway is considered public and fully improved, thus right-of-way to the property is already allocated. The main access point on the north will be considered ingress / egress access, while the access point on the south will be right in only. The main access points will be acceptable for emergency / maintenance vehicular access as well as fire lanes. A gated Emergency Access Only point is proposed at Alan Stephens Parkway via the existing 40' right of way.

3. COMPLIANCE WITH GENERAL PLAN & ZONING

As of May 3, 2022, the current General Plan Land Use Element designation for the proposed development is High Density Residential (HDR). The General Plan defined HDR as:

Purpose: The High Density Residential designation provides for multi-family dwellings that may be multi-story buildings. This category would provide for townhouses, condominiums and apartments. Substantial common open space, recreational amenities and on-site support



facilities would serve residents. Such high density uses may be appropriate in the Mixed Use category. The density range of this land use category is 6.0 or more dwelling units per acre.

The proposed site of 293 townhomes is unique and an absolute enhancement to the area as a buffer to the existing and proposed commercial to the existing residential subdivision(s) to the north.




FIGURE 3: EXISTING GENERAL PLAN LAND USE AND SURROUNDING AREA

As of the same date; May 3, 2022, the current zoning designation for the proposed development is High Density Residential (RH). The City of Maricopa Zoning Code defined RH as:

This District is intended for a variety of housing types on lots of varying sizes, subject to overall General Plan density standards (12 to 20 units per net acre). The density range and development standards accommodate attached single residences, CHAPTER 16: MARICOPA ZONING CODE 2-8 townhomes, condominiums, garden apartments and multi-unit buildings developed at a scale and form that is appropriate to its neighborhood context and adjacent single unit residential



uses and forms. In addition to residential uses, this District allows for a limited number of public and semi-public uses such as day care centers, public safety facilities, and assisted living and transitional supportive housing that are appropriate in a high-density multi-unit environment.




FIGURE 4: CURRENT ZONING

The Villas at Stonegate Site Plan and Preliminary Plat follow the Development Standards for RH zoning as provided in Table 202.04, more specifically, the proposed density is 18.20, building coverage is 38.4%, minimum building separation is 10 feet or greater and all perimeter setbacks are adhered to. The Villas at Stonegate development is in compliance with the zoning standards as set forth in the City of Maricopa Zoning Code.



The preliminary plat proposed 293 platted townhome units offering two different style townhome units with all three bedroom 2 (or 2.5) bath with 2 car garages. The development will integrate interconnected sidewalks and amenities that all residents within the community can enjoy including, but not limited to: recreation center, community pool, dog park, ramadas, tot-lots, etc. The community center will serve as a management office, but will also offer a fitness center and business center for the residents to enjoy. The Site Plan boasts a robust amount of open space that is broken out with both private and public areas. Each unit will offer its own private patio to the dwelling where the residents can spend mornings and afternoons enjoying the beautiful Arizona weather and views exclusive to the City of Maricopa.

Per the City of Maricopa Zoning Ordinance the required parking stalls for a multi-family development of this caliber is a minimum 2.5 stalls per unit for three-bedroom units. The preliminary plat associated with this application proposes 2 stalls in each garage as well as an additional 162 open parking stalls; 795 provided. This would be a proposed rate of 2.51 stalls per unit and complies with this standard. Parking is dispersed throughout the site and are strategically placed to take advantage of the proximity to adjacent amenities. Parking stall dimensions will be 9 feet wide and 18 feet deep with a 24 foot minimum drive aisle.

4. CIRCULATION AND ACCESS

Stonegate Road and Alan Stephens Parkway are intended to remain "as is" with minor improvements that may include curb cuts, sidewalk, and landscaping along its frontage. There are two main ingress / egress access points to the proposed property on Stonegate Road and an emergency only access point on Alan Stephens Parkway. All access points will be coordinated with the City to provide gate access for all emergency vehicles, maintenance, and solid waste collection. No significant improvements along Stonegate Road and Alan Stephens Parkway are anticipated at this time.

The site is a proposed multi-family residential community that will be provide elaborate gates at the entrances along Stonegate Road and proposes view fence along Stonegate Road and Alan Stephens Parkway as well as patio gates from each residence. The perimeter fencing will include a combination of CMU decorative block along the initial courses with wrought iron view fence above. A decorative 6' CMU block wall will be located along the east and south adjacent



to the existing / proposed commercial and school. This is to not only increase the security and privacy of the residents from the commercial usage, but also to reduce the additional noise that may infiltrate the development.

The two main accesses to the property will be proposed at Stonegate Road. There are no proposed access points along Alan Stephens Parkway. Each roadway is considered public and fully improved, thus right-of-way to the property is already allocated. An emergency only access point is proposed at Alan Stephens Parkway via the existing 40' right of way. The main access points Stonegate Road will be considered ingress / egress access, but the southern access point will be right in only. The main access points will be acceptable for emergency / maintenance vehicular access as well as fire lanes. A tertiary access point located at the southeast corner of the property will be used only for emergency and maintenance vehicular access only.

5. PROPOSED INFRASTRUCTURE MASTERPLAN

Domestic water and sewer will be provided by the Global Water. Refuse is by private contract. Police is provided by the City of Maricopa. Fire is the City of Maricopa. No natural gas is expected be used on this development. All utilities within the site will be privately operated and maintained except for water and sewer mainlines, which an easement will be provided on.

PUBLIC UTILITIES	SERVICE PROVIDERS
Fire Protection	Maricopa
Police Protection	Maricopa
School District	City of Maricopa School District
Water	Global Water
Wastewater	Global Water
Telephone	Century Link, Cox
Natural Gas	NA
Refuse	Private Contractor



WATER. It is understood by the developer that there is an existing 12" PVC waterline located within Alan Stephens Parkway as well as an existing waterline within Stonegate Road. There are several stubs that connect to the property, generally located at the existing entrances. There are several existing fire hydrants located along Alan Stephens Parkway as well as Stonegate Road. It is intended for the developer to propose at least two connections for water in order to loop the system. Determination of the tie in locations will be dependent on how the site will ultimately layout, but it is anticipated that a minimum of one connection will be located within both streets. It is intended to mitigate, as much as possible, the need to disrupt the streets with these connections and the developer intends to connect at the existing stubs whenever possible.

SEWER. Based on records found thus far, it is understood that there are no sewer mains within Alan Stephens Parkway nor Stonegate Road. There are two existing systems located adjacent to the property however. One is immediately north, which is an 8" PVC sewer line located within Stonegate Road in the Sycamore Parcel 11 subdivision. The other is found to the south within the existing southern access road that traverses the commercial developments closer to Maricopa Highway. Considering the existing topography of the property grades from the south to the north, it is the intent of the developer to connect to the 8" sewer main within Sycamore Parcel 11 subdivision. Connection to the south would be unfeasible due to the grade difference and direction of flow.

OPEN SPACE AND AMENITIES. Villas at Stonegate will offer it residents a robust open space and amenity package with interconnecting sidewalks and lush landscape that will invite connection and a community pride. The amenity package boasts a community recreation center with fitness room and office center at the main entrance. Attached to the recreation center will be a resort-style pool, cabanas and outdoor space for families to spend the day relaxing alongside the pool. Other amenities that are spread throughout the development include pickleball courts, ramadas with barbecues, a dog park, and tot-lots. These amenities are distributed throughout the development for all to share and enjoy.

PROPERTY MANAGEMENT & HOA. It is expected that the amenities and open space, tracts, private streets, etc. will be managed and maintained by onsite property management and the home owner's association. Property management will provide daily connection and service for the residents during normal business hours. This is intended to facilitate the regular daily needs or concerns for residents in a development of this caliber. Ultimately, it is yet to be determined



what entity will manage and maintain the property at full build-out, but it will be in place prior to the first certificate of occupancy.

As noted, Stonegate Road and Alan Stephens Parkway are fully developed except for sidewalk along the property frontage. It is not expected that the developer will be required to make significant improvements to Stonegate Road and Alan Stephens Parkway except for tying into the existing water and sewer, and access. As part of the improvements to the site, the existing drainage pattern may be slightly modified, however the developer and his engineer will ensure that all onsite retention requirements are met per the City of Maricopa engineering and design standards.

6. DRAINAGE AND TOPOGRAPHY

The grade of the property is gradual from the southeast to the northwest. This poses a challenge with the drainage since typically the drainage and retention will be most efficient within open space areas. In the case of this grading for this site, the site outfall will be found at the northwest corner at the intersection of Alan Stephens Parkway and Stonegate Road.

Currently, the site does not reside within any special hazard flood areas and is entirely within Flood Zone X per FEMA flood zone designation. It is not anticipated that there will be any need to for review or approval through FEMA, County, or City for Flood Plain Permits.

The site is bound by an existing roadway infrastructure with an existing storm drain system implemented. It is expected that the developer will be responsible to maintain the grading and drainage of both Alan Stephens Parkway and Stonegate Road with their corresponding runoff. Although the property is part of a much larger master-planned development, it is apparent that it will need to retain onsite the 100 yr event as defined by the City of Maricopa engineering standards as well. Grading design and retention calculations will be shown on the Preliminary Grading Plan as well as the Drainage Report. Overall, there appears to be no significant offsite impacts that will affect the site or be affected by the proposed improvements.



7. CONCLUSION


The *Villas at Stonegate* is ideal for a multi-family development. The preliminary plat is the precursor before the Final Plat approval that will permit the developer to sell the units to individual end users. There is a significant demand in the area for affordable housing in the City of Maricopa and inadequate supply. More housing in this area will generate a higher demand for commerce, including supermarkets, convenience stores, offices, retail, etc. It is the intent and desire of the developer to work hand in hand with the City as well as the neighbors to create a viable development that benefits not only the existing neighborhood, but also the future residents.



APPENDIX A



EXHIBIT A: VICINITY MAP







Pinal County Assessor Parcel Viewer · Assessor Douglas J. Wolf






Pinal County Assessor's Office PO Box 709 31 N Pinal St Florence, AZ 85132 520.866.6361 assessor@pinalcountyaz.gov

Disclaimer: Pinal County does not guarantee that any information contained within this dataset or map is accurate, complete, or current. This data is for informational use only and does not constitute a legal document for the description of these properties. The Pinal County disclaims any responsibility or liability for any direct or indirect damages resulting from the use of this data. The boundaries depicted within this dataset or map are for illustrative purposes only. Users should independently research, investigate, and verify all information before relying on this map or using this map in the preparation of legal documents.



Pinal County Assessor Parcel Viewer · Assessor Douglas J. Wolf






Pinal County Assessor's Office PO Box 709 31 N Pinal St Florence, AZ 85132 520.866.6361 assessor@pinalcounty az.gov

Disclaimer: Pinal County does not guarantee that any information contained within this dataset or map is accurate, complete, or current. This data is for informational use only and does not constitute a legal document for the description of these properties. The Pinal County disclaims any responsibility or liability for any direct or indirect damages resulting from the use of this data. The boundaries depicted within this dataset or map are for illustrative purposes only. Users should independently research, investigate, and verify all information before relying on this map or using this map in the preparation of legal documents.

7/5/22, 1:22 PM Zoning





LEGAL DESCRIPTION

A PARCEL OF LAND LOCATED IN THE NORTHEAST QUARTER OF SECTION 35, TOWNSHIP 4 SOUTH RANGE 3 EAST OF THE GILA AND SALT RIVER BASE AND MERIDIAN, PINAL COUNTY, ARIZONA MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE INTERSECTION OF ALAN STEPHENS PARKWAY AND STONEGATE ROAD ACCORDING TO A MAP OF DEDICATION FOR ALAN STEPHENS PARKWAY ON FILE IN CABINET E , SLIDE 183, AND A SPECIAL WARRANTY DEED OF DEDICATION FOR STONEGATE ROAD ON FILE IN THE NUMBER 2008-005496, IN THE OFFICE OF THE PINAL COUNTY, RECORDER, PINAL COUNTY, ARIZONA;

THENCE ALONG THE MONUMENT LINE OF STONEGATE ROAD, SOUTH 19 DEGREES, 21 MINUTES, 12 SECONDS WEST, A DISTANCE OF 622.33 FEET;

THENCE DEPARTING SAID LINE, SOUTH 70 DEGREES, 38 MINUTES, 48 SECONDS EAST, A DISTANCE OF 40.00 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF STONEGATE ROAD, ALSO BEING COINCIDENT WITH THE WEST LINE OF LOT 17, ACCORDING TO THE FINAL PLAT OF RECORD FOR "MARICOPA POWER CENTER THE WELLS", ON FILE AT THE OFFICE OF THE PINAL COUNTY ARROOM RECORDER, IN CABINET H, SUIDE 53, SAID POINT BEING THE POINT OF

THENCE ALONG THE WEST LINE OF LOTS 17 AND 18 OF SAID FINAL PLAT, NORTH 19 DEGREES, 21 MINUTES, 12 SECONDS EAST, A DISTANCE OF 568.32 FEET;

THENCE CONTINUE ALONG THE WESTERLY LINE OF SAID LOT 18, NORTH 63 DEGREES, 12 MINUTES, 52 SECONDS EAST, A DISTANCE OF 20.87 FEET TO THE POINT OF CURVE OF A NON TANCENT CURVE TO THE LETT, OF WHICH THE RADIUS POINT LIES NORTH 17 DEGREES, 11 MINUTES, 08 SECONDS EAST, A RADIAL DISTANCE OF 1,440.00 FEET;

THENCE CONTIUE ALONG THE NORTH LINE OF SAID LOT 18, EASTERLY ALONG THE ARC, THROUGH A CENTRAL ANGLE OF 24 DEGREES, 01 MINUTE, 55 SECONDS, A DISTANCE OF 603.99 FEET.

THENCE CONTINUE ALONG THE NORTH LINE OF SAID LOT 18, NORTH 83 DEGREES, 09 MINUTES, 13 SECONDS EAST, A DISTANCE OF 196,23 FEET TO THE NORTHEAST CORNER OF LOT 18A ACCORDING TO A MINOR LAND DIVISION OF LOTS 18 AND 20 OF MANICOAP POWER CENTER WELLS ON FILE IN THE OFFICE OF THE PINAL COUNTY, ARIZONA RECORDER, IN FEE NUMBER 2020-021061;

THENCE ALONG THE EAST LINE OF SAID LOT 18A, SOUTH 06 DEGREES, 50 MINUTES, 47 SECONDS EAST, A DISTANCE OF 105.48 FEET;

THENCE CONTINUE ALONG SAID LINE, NORTH 83 DEGREES, 06 MINUTES, 13 SECONDS EAST, A DISTANCE OF 49.54 FEET;

THENCE ALONG THE SOUTHERLY LINE OF SAID LOT 18A, NORTH 53 DEGREES, 49 MINUTES, 33 SECONDS WEST, A DISTANCE OF 406.67 FEET TO THE NORTHEAST CORNER OF SAID LOT 17 OF SAID MARICOPA POWER CENTER WELLS FINAL PLAIT.

THENCE ALONG THE EASTERLY LINE OF SAID LOT 17, SOUTH 36 DEGREES, 10 MINUTES, 27 SECONDS WEST, A DISTANCE OF 424.53 FEET;

THENCE CONTINUE ALONG SAID LINE, NORTH 53 DEGREES, 49 MINUTES, 33 SECONDS WEST, A DISTANCE OF 62.00 FEET;

THENCE CONTINUE ALONG SAID LINE, SOUTH 36 DEGREES, 10 MINUTES, 27 SECONDS WEST, A DISTANCE OF 75.00 FEET;

THENCE DEPARTING SAID LINE NORTH 53 DEGREES, 49 MINUTES, 33 SECONDS WEST, A DISTANCE OF 573.42 FEET TO THE POINT OF BEGINNING.

PRELIMINARY PLAT

VILLAS AT STONEGATE

NORTHEAST QUARTER OF SECTION 35, TOWNSHIP 4 SOUTH, RANGE 3 EAST OF THE GILA AND SALT RIVER BASE AND MERIDIAN, PINAL COUNTY, ARIZONA

ALAN STEPHENS PARKWAY TRACT L RACT B SHEET 2 TRACTK RACTI

SHEET INDEX

. COVER SHEET 2 & 3.. FINAL PLAT 4 & 5.. TABLE & DETAILS

OWN<u>ER</u>

CAPDEVLO60, LLC
790 NW 107TH AVE #400
MIAMI, FL 33172
PHONE: 801,489,3215
CONTACT: MCKAY MORLEY

NOTE: OWNER INFORMATION WAS OBTAINED FROM COUNTY ASSESSOR AT THE TIME OF THE SURVEY AND MAY NOT REPRESENT CURRENT OWNERSHIP

APN:
PARCEL 1: 510-120-54J NET AREA:7.1588 AC
PARCEL 2: 510-120-520 NET AREA:8.0459 AC

SITE SUMMARY

701,130 S.F. (16.10 ACRES) 662,241 S.F. (15.20 ACRES) GROSS SITE AREA: NET SITE AREA: 70NING:

PROPOSED NO. UNITS: 293

20.0 DU/AC (RH OPTION) 293 DU / 16.10 AC ALLOWARIE DENSITY: PROPOSED DENSITY:= = 18.20 DU/AC

ALLOWABLE LOT COVERAGE: PROPOSED BLDG COVERAGE: 50% = 254,222 SF = 38.4% REQUIRED OPEN SPACE: = 140,226 SF = 20% MIN.PROPOSED OPEN SPACE: = 183,138 SF = 27.7% $153 \text{ TOWNHOMES} = 44' \times 21'$ UNIT PRODUCT MIX:

140 TOWNHOMES = 36'x24'PARKING REQUIRED: 2.5 SPACES PER 3 BEDROOM UNIT = 732.5 = 733 TOTAL STALLS

PARKING PROVIDED: = 586 GARAGE STALLS + 178 OPEN STALLS

= 764 TOTAL PROVIDED = 2.61 STALLS PER UNIT

BASIS OF BEARING


THE MONUMENT LINE OF STONEGATE ROAD BETWEEN A FOUND 3" BRASS CAP FLUSH AT THE INTERSECTION OF STONEGATE ROAD AND BRASS CAP FLUSH AT THE INTERSECTION OF STONEGATE ROUAD AND ALAN STEPHEN PARKWAY AND A FOUND 3" BRASS CAP FLUSH LOCATED IN THE NORTHEAST QUARTER OF SECTION 35, TOWNSHIP 4 SOUTH, RANGE 3 EAST OF THE GILA AND SALT RIVER BASE AND MERIDIAN, PINAL COUNTY, ARIZONA BEARING N19'21'12"E. (ASSUMED

BENCHMARK

A "BENCH MARK DISK SET IN A LIGHT STRUCTURE" AS DESCRIBED BY THE NATIONAL GEODETIC SURVEY WITH A DESIGNATION NUMBER OF S 360 AND A PID OF DU1047, SAID POINT BEING IN SECTION 35, TOWNSHIP 4 SOUTH, RANGE 3 EAST, OF THE GILA AND SALT RIVER BASE AND MERIDIAN, PINAL COUNTY, ARIZONA. ELEVATION = 1206.28' (NAVD 88 DATUM)

FLOOD INSURANCE RATE MAP (F.I.R.M.) INFORMATION

COMMUNITY NUMBER	PANEL NUMBER	SUFFIX	FIRM DATE (INDEX DATE)	FIRM ZONE	BASE FLOOD ELEVATION (IN AO ZONE USE DEPTH)
04021C	745	F	06/16/14	x	N/A



VICINITY MAP

ENGINEER

BFH GROUP 3707 EAST SOUTHERN AVENUE MESA, ARIZONA, 85206 PHONE: 480.734.1446 CONTACT: DAVID M. BOHN

SURVEYOR

HARVEY LAND SURVEYING, INC. P.O. BOX 10772 CASA GRANDE, ARIZONA, 85130 PHONE: 520.87.4786

E-MAIL: COLEHARVEY@HARVEYSURVEYING.COM



GATI

STONE(

S

VILLA

AEA DB

SHEET

COVER


BEHLAROND




202110090

SHEET NO.

1 OF 5





CURVE TABLE						
	CUN	VE IAD	LC			
CURVE #	LENGTH	RADIUS	DELTA	CHORD		
C1	13.11	10.00	75.13	12.19		
C2	37.68	21.00	102.80	32.82		
СЗ	11.22	8.00	80.33	10.32		
C4	16.04	10.00	91.92	14.38		
C5	1.77	2.00	50.66	1.71		
C6	1.77	2.00	50.64	1.71		
C7	13.84	10.00	79.28	12.76		
C8	15.74	12.00	75.15	14.64		
C9	1.97	2.00	56.57	1.90		
C10	2.60	2.50	59.60	2.48		
C11	13.54	10.00	77.60	12.53		
C12	15.71	10.00	90.00	14.14		
C13	3.14	2.00	90.00	2.83		
C14	3.42	2.00	97.98	3.02		
C15	29.61	19.76	85.83	26.91		
C16	8.87	5.00	101.62	7.75		
C17	8.12	40.00	11.62	8.10		
C18	6.03	3.00	115.15	5.06		
C19	18.33	40.00	26.25	18.17		
C20	2.34	5.00	26.80	2.32		
C21	4.10	5.00	46.98	3.99		
C22	8.35	5.00	95.74	7.42		
C23	3.14	2.00	90.00	2.83		
C24	3.14	2.00	90.00	2.83		
C25	59.01	25.00	135.25	46.24		

CURVE TABLE							
CURVE #	LENGTH	RADIUS	DELTA	CHORD			
C26	3.14	2.00	90.00	2.83			
C27	3.14	2.00	90.00	2.83			
C28	3.14	2.00	90.00	2.83			
C29	3.14	2.00	90.00	2.83			
C30	26.24	32.00	46.98	25.51			
C31	22.49	10.00	128.84	18.04			
C32	3.47	2.00	99.27	3.05			
C33	29.45	50.00	33.74	29.02			
C34	51.52	76.00	38.84	50.54			
C35	18.85	12.00	90.00	16.97			
C36	4.78	2.00	136.98	3.72			
C37	34.82	15.00	133.02	27.51			
C38	9.42	6.00	90.00	8.49			
C39	3.14	2.00	90.00	2.83			
C40	3.14	2.00	90.00	2.83			
C41	3.14	2.00	90.00	2.83			
C42	3.14	2.00	90.00	2.83			
C43	11.00	7.00	90.00	9.90			
C44	15.71	10.00	90.00	14.14			
C45	3.14	2.00	90.00	2.83			
C46	3.14	2.00	90.00	2.83			
C47	11.00	7.00	90.00	9.90			
C48	15.71	10.00	90.00	14.14			
C49	3.14	2.00	90.00	2.83			
C50	3.14	2.00	90.00	2.83			

CURVE TABLE						
CURVE #	LENGTH	RADIUS	DELTA	CHORD		
C51	41.44	30.00	79.14	38.22		
C52	7.85	5.00	90.00	7.07		
C53	7.85	5.00	90.00	7.07		
C54	17.25	26.00	38.01	16.94		
C55	22.56	34.00	38.01	22.15		
C56	23.70	50.00	27.15	23.47		
C57	6.63	10.00	38.01	6.51		
C58	52.95	55.03	55.13	50.93		
C59	38.32	30.00	73.18	35.76		
C60	37.67	30.00	71.95	35.24		
C61	37.70	24.00	90.00	33.94		
C62	27.97	15.00	106.82	24.09		
C63	19.16	15.00	73.18	17.88		
C64	37.01	25.00	84.81	33.72		
C65	48.79	31.06	90.00	43.93		
C66	40.91	30.00	78.13	37.81		
C67	3.14	2.00	90.00	2.83		
C68	3.14	2.00	90.00	2.83		
C69	4.57	2.00	130.89	3.64		
C70	28.53	30.00	54.49	27.47		
C71	23.04	15.00	88.02	20.84		
C72	55.54	50.00	63.64	52.73		
C73	28.88	26.00	63.64	27.42		
C74	23.62	15.00	90.21	21.25		
C75	73.61	1734.00	2.43	73.61		

	CURVE TABLE							
CURVE #	CURVE # LENGTH		DELTA	CHORD				
C76	207.66	1710.00	6.96	207.54				
C77	3.16	2.00	90.39	2.84				
C78	3.14	2.00	90.00	2.83				
C79	3.14	2.00	90.00	2.83				
C80	34.46	18.98	104.04	29.92				
C81	10.91	8.01	78.05	10.09				
C82	3.25	2.00	93.00	2.90				
C83	3.15	2.00	90.12	2.83				
C84	3.89	1734.00	0.13	3.89				
C85	99.77	1714.27	3.33	99.75				
C86	20.36	12.00	97.21	18.00				
C87	72.97	1752.00	2.39	72.97				
C88	73.06	1752.00	2.39	73.05				
C89	3.14	2.00	89.92	2.83				
C90	14.25	10.00	81.62	13.07				
C91	4.71	3.00	90.00	4.24				
C92	16.40	20.00	46.98	15.94				
C93	0.21	0.25	46.98	0.20				
C94	71.92	1734.00	2.38	71.92				
C95	207.66	1710.00	6.96	207.54				

LOT TABLE

	TRACT TABLE						
TRACT	ACRES	AREA SQ. FT.	DESCRIPTION OF USE				
TRACT A	3.86	168325.97	INGRESS, EGRESS, PUBLIC UTILITY, REFUSE COLLECTION, DRAINAGE EASEMENT AND EMERGENCY VEHICLE ACCESS				
TRACT B	0.18	7877.96	OPEN SPACE/LANDSCAPE				
TRACT C	0.32	13856.03	OPEN SPACE/LANDSCAPE				
TRACT D	0.35	15444.60	OPEN SPACE/LANDSCAPE/AMENITIES				
TRACT E	0.40	17525.92	OPEN SPACE/LANDSCAPE/AMENITIES				
TRACT F	0.54	23486.00	OPEN SPACE/LANDSCAPE/AMENITIES				
TRACT G	0.15	6527.39	OPEN SPACE/LANDSCAPE				
TRACT H	0.23	10017.20	OPEN SPACE/LANDSCAPE				
TRACT I	0.24	10524.03	OPEN SPACE/LANDSCAPE				
TRACT J	0.37	16007.07	OPEN SPACE/LANDSCAPE/AMENITIES				
TRACT K	0.35	15402.43	OPEN SPACE/LANDSCAPE/AMENITIES				
TRACT L	1.43	62145.08	OPEN SPACE/LANDSCAPE/AMENITIES				

LC	T TABL	.E
LOT#	S.F.	AC
1	1026.77	0.02
2	1022.97	0.02
3	1029.00	0.02
4	1029.00	0.02
5	1029.00	0.02
6	1029.00	0.02
7	1025.71	0.02
8	1029.00	0.02
9	1028.35	0.02
10	1029.00	0.02
11	1029.00	0.02
12	1029.00	0.02
13	1029.00	0.02
14	1029.00	0.02
15	1027.31	0.02
16	1029.00	0.02
17	1029.00	0.02
18	1029.00	0.02
19	1029.00	0.02
20	1034.37	0.02
21	1029.00	0.02
22	1029.00	0.02
23	1029.00	0.02
24	1024.09	0.02
25	1029.28	0.02
26	1026.46	0.02
27	1029.00	0.02
28	1029.00	0.02
29	1029.00	0.02
20	1000.00	0.00

LC	T TABL	LOT TABLE			
LOT#	S.F.	AC	LOT#	S.F.	AC
1	1026.77	0.02	31	1029.00	0.02
2	1022.97	0.02	32	1029.00	0.02
3	1029.00	0.02	33	1029.00	0.02
4	1029.00	0.02	34	1029.00	0.02
5	1029.00	0.02	35	1029.00	0.02
6	1029.00	0.02	36	1029.00	0.02
7	1025.71	0.02	37	1029.00	0.02
8	1029.00	0.02	38	1029.00	0.02
9	1028.35	0.02	39	1029.00	0.02
10	1029.00	0.02	40	1029.00	0.02
11	1029.00	0.02	41	1029.00	0.02
12	1029.00	0.02	42	1029.00	0.02
13	1029.00	0.02	43	1029.00	0.02
14	1029.00	0.02	44	1029.00	0.02
15	1027.31	0.02	45	1029.00	0.02
16	1029.00	0.02	46	1029.00	0.02
17	1029.00	0.02	47	1029.00	0.02
18	1029.00	0.02	48	1029.00	0.02
19	1029.00	0.02	49	1029.00	0.02
20	1034.37	0.02	50	1029.00	0.02
21	1029.00	0.02	51	1029.00	0.02
22	1029.00	0.02	52	1029.00	0.02
23	1029.00	0.02	53	1029.00	0.02
24	1024.09	0.02	54	1029.00	0.02
25	1029.28	0.02	55	1029.00	0.02
26	1026.46	0.02	56	1029.00	0.02
27	1029.00	0.02	57	1029.00	0.02
28	1029.00	0.02	58	1029.00	0.02
29	1029.00	0.02	59	1029.00	0.02
30	1029.00	0.02	60	1029.00	0.02

LC	T TABL	.E		LC)T T/
LOT#	S.F.	AC		LOT#	S.
61	1029.00	0.02		91	1029
62	1029.00	0.02		92	1029
63	1029.00	0.02		93	1029
64	1029.00	0.02		94	1029
65	1029.00	0.02		95	1029
66	1029.00	0.02		96	1029
67	1029.00	0.02		97	1029
68	1029.00	0.02		98	1029
69	1029.00	0.02		99	1029
70	1029.00	0.02		100	1029
71	1029.00	0.02		101	1029
72	1029.00	0.02		102	1029
73	1029.00	0.02		103	1029
74	1029.00	0.02		104	1029
75	1029.00	0.02		105	1029
76	1029.00	0.02		106	1029
77	1029.00	0.02		107	1029
78	1029.00	0.02		108	1029
79	1029.00	0.02		109	1029
80	1029.00	0.02		110	1028
81	1031.63	0.02		111	1028
82	1026.37	0.02		112	984
83	1029.00	0.02		113	984
84	1029.00	0.02		114	984
85	1029.00	0.02		115	984
86	1029.00	0.02		116	984
87	1029.00	0.02		117	984
88	1029.00	0.02		118	984
89	1029.00	0.02		119	984
90	1029.00	0.02		120	984
			•		

TABLE		LOT TABLE			
S.F.	AC		LOT#	S.F.	AC
29.00	0.02		121	984.00	0.02
29.00	0.02		122	984.00	0.02
29.00	0.02		123	984.00	0.02
29.00	0.02		124	984.00	0.02
29.00	0.02		125	984.00	0.02
29.00	0.02		126	984.00	0.02
29.00	0.02		127	984.00	0.02
29.00	0.02		128	984.00	0.02
29.00	0.02		129	984.00	0.02
29.00	0.02		130	984.00	0.02
29.00	0.02		131	984.00	0.02
29.00	0.02		132	984.00	0.02
29.00	0.02		133	984.00	0.02
29.00	0.02		134	984.00	0.02
29.00	0.02		135	1029.00	0.02
29.00	0.02		136	1029.00	0.02
29.00	0.02		137	1029.00	0.02
29.00	0.02		138	1029.00	0.02
29.00	0.02		139	1029.00	0.02
28.72	0.02		140	1029.00	0.02
28.98	0.02		141	1029.00	0.02
84.00	0.02		142	1029.00	0.02
84.00	0.02		143	1029.00	0.02
84.00	0.02		144	1029.00	0.02
84.00	0.02		145	1029.00	0.02
84.00	0.02		146	1029.00	0.02
84.00	0.02		147	1029.00	0.02
84.00	0.02		148	1029.00	0.02
84.00	0.02		149	1029.00	0.02
84.00	0.02		150	1029.00	0.02

LOT TABLE				
LOT#	S.F.	AC		
151	1029.00	0.02		
152	1029.00	0.02		
153	1029.00	0.02		
154	1029.00	0.02		
155	1029.00	0.02		
156	1029.00	0.02		
157	1029.00	0.02		
158	1029.00	0.02		
159	1029.00	0.02		
160	1029.00	0.02		
161	1029.00	0.02		
162	1029.00	0.02		
163	1029.00	0.02		
164	1029.00	0.02		
165	1029.00	0.02		
166	1029.00	0.02		
167	1029.00	0.02		
168	1029.00	0.02		
169	1029.00	0.02		
170	1029.00	0.02		
171	1029.00	0.02		
172	1029.00	0.02		
173	1029.00	0.02		
174	1029.00	0.02		
175	1029.00	0.02		
176	1029.00	0.02		
177	984.48	0.02		
178	984.00	0.02		
179	984.00	0.02		
180	984.00	0.02		

					, .	
LOT#	S.F.	AC		LOT#	S.F.	AC
181	984.00	0.02		241	984.00	0.02
182	984.00	0.02		242	984.00	0.02
190	984.00	0.02		243	984.00	0.02
194	984.00	0.02		244	984.00	0.02
197	984.00	0.02		245	984.00	0.02
198	984.00	0.02		246	984.00	0.02
199	984.00	0.02		247	984.00	0.02
200	984.00	0.02		248	984.00	0.02
201	984.00	0.02		249	984.00	0.02
202	984.00	0.02		250	984.00	0.02
203	984.00	0.02		251	984.00	0.02
204	984.00	0.02		252	984.00	0.02
205	984.00	0.02		253	984.00	0.02
206	984.00	0.02		254	984.00	0.02
207	984.00	0.02		255	984.00	0.02
208	984.00	0.02		256	984.00	0.02
209	979.88	0.02		257	983.98	0.02
210	984.00	0.02		265	984.00	0.02
211	984.00	0.02		273	984.00	0.02
212	984.00	0.02		274	984.00	0.02
213	984.00	0.02		275	983.91	0.02
214	984.00	0.02		276	984.00	0.02
215	984.00	0.02		277	984.00	0.02
216	984.00	0.02		278	984.00	0.02
224	984.00	0.02		279	984.00	0.02
232	984.00	0.02		280	984.00	0.02
237	984.00	0.02		281	984.00	0.02
238	984.00	0.02		282	984.00	0.02
239	984.00	0.02		283	984.00	0.02
240	984.00	0.02		284	984.00	0.02

LOT TABLE

LO	LOT TABLE				
LOT#	S.F.	AC			
285	984.00	0.02			
286	984.00	0.02			
287	984.00	0.02			
288	984.00	0.02			
289	984.00	0.02			
290	984.00	0.02			
291	984.00	0.02			
292	984.00	0.02			
293	984.00	0.02			



4 OF 5

VILLAS AT STONEGATE

TABLES

BEHCT FOUR
3707 EAST SOUTHERN AVENUE
MESA, ARIZONA, 88206
PHONE: 480.734,1446


	LINE TABLE				
LINE #	LENGTH	BEARING			
	42.00	S84° 20' 08"E			
L2	84.00	S84° 20' 08"E			
L3	42.00	S84° 20' 08"E			
L4	42.00	N88° 35' 20'E			
L5	84.00	N88° 35' 20'E			
L6	42.00	N88° 35' 20'E			
L7	44.00	S05° 39' 52"W			
L8	42.00	S84° 20' 08"E			
L9	84.00	S84° 20' 08"E			
L10	42.00	S84° 20′ 08"E			
L11	44.00	S05° 39' 52"W			
L12	44.00	S01° 24' 40"E			
L13	42.01	N89° 57' 10'E			
L14	84.00	N88° 35' 20'E			
L15	42.00	N88° 35' 20'E			
L16	44.00	N01° 24' 40'W			
L17	44.00	N06° 34' 29'W			
L18	84.00	N83° 25' 31"E			
L19	84.00	N83° 25' 31"E			
L20	42.00	N83° 25' 31'E			
L21	44.00	S06° 34' 29"E			
L22	84.00	N83° 25' 31"E			
L23	84.00	N83° 25' 31"E			
L24	42.00	N83° 25' 31"E			
L25	44.00	N83° 09' 27"E			
L26	147.00	S06° 50′ 33"E			
L27	44.00	S83° 09' 27"W			
L28	147.00	S06° 50′ 33″E			
L29	44.00	N83° 09' 27"E			
L30	147.00	S06° 50′ 33″E			
L31	147.00	N06° 50' 33'W			
L32	44.00	S83° 09' 27"W			

	LINE TAI	BLE
LINE #	LENGTH	BEARING
L33	44.00	N83° 09' 27"E
L34	147.00	S06° 50' 33"E
L35	44.00	S83° 09' 27"W
L36	147.00	N06° 50' 33"W
L37	36.00	N83° 09' 27"E
L38	120.00	S06° 50' 33"E
L39	36.00	S83° 09' 27"W
L40	120.00	N06° 50' 33"W
L41	36.00	N83° 09' 27"E
L42	144.00	S06° 50' 33"E
L43	36.00	S83° 09' 27'W
L44	144.00	N06° 50′ 33′W
L45	36.00	N83° 09' 27"E
L46	192.00	S06° 50' 33"E
L47	36.00	S83° 09' 27'W
L48	192.00	N06° 50′ 33′W
L49	36.00	N83° 09' 27"E
L50	96.00	S06° 50' 33"E
L51	36.00	S83° 09' 27"W
L52	96.00	N06° 50' 33"W
L53	44.00	N83° 09' 27"E
L54	84.00	N06° 50′ 33″W
L55	84.00	S06° 50' 33"E
L56	44.00	S83° 09' 27"W
L57	84.00	N06° 50′ 33″W
L58	84.00	N06° 50' 33"W
L59	44.00	N83° 09' 27"E
L60	84.00	S06° 50' 33"E
L61	42.00	S06° 50' 33"E
L62	44.00	N83° 09' 27"E
L63	42.00	N06° 50' 33"W
L64	84.00	N06° 50' 33"W


LINE TABLE					
LINE #	LENGTH	BEARING			
L65	44.00	N83° 09' 27"E			
L66	84.00	S06° 50' 33"E			
L67	84.00	S06° 50' 33"E			
L68	44.00	S83° 09' 27"W			
L69	84.00	N06° 50' 33"W			
L70	84.00	N06° 50' 33"W			
L71	44.00	N83° 09' 27"E			
L72	84.00	S06° 50′ 33″E			
L73	84.00	S06° 50' 33"E			
L74	84.00	S06° 50' 33"E			
L75	44.00	S83° 09' 27"W			
L76	84.00	N06° 50' 33'W			
L77	84.00	N06° 50' 33'W			
L78	84.00	N06° 50' 33"W			
L79	44.00	N83° 09' 27"E			
L80	84.00	S06° 50′ 33″E			
L81	44.00	S83° 09' 27"W			
L82	84.00	N06° 50' 33"W			
L83	44.00	N83° 09' 27"E			
L84	84.00	S06° 50' 33"E			
L85	84.00	S06° 50' 33"E			
L86	84.00	S06° 50' 33"E			
L87	44.00	S83° 09' 27"W			
L88	84.00	N06° 50' 33"W			
L89	84.00	N06° 50' 33'W			
L90	84.00	N06° 50' 33"W			
L91	44.00	N83° 09' 27"E			
L92	105.00	S06° 50' 33"E			
L93	44.00	S83° 09' 27"W			
L94	105.00	N06° 50' 33'W			
L95	44.00	N83° 09' 27"E			
L96	252.00	S06° 50' 33"E			

LINE TABLE				
LINE #	LENGTH	BEARING		
L97	44.00	S83° 09' 27'W		
L98	252.00	N06° 50' 33"W		
L99	44.00	N83° 09' 27"E		
L100	252.00	N06° 50' 33"W		
L101	44.00	S83° 09' 27"W		
L102	252.00	N06° 50' 33"W		
L103	144.00	S53° 49' 33"E		
L104	36.00	S36° 10' 28'W		
L105	144.00	N53° 49' 32"W		
L106	36.00	N36° 10' 28'E		
L107	192.00	S53° 49' 32"E		
L108	36.00	S36° 10' 28'W		
L109	192.00	N53° 49' 32"W		
L110	36.00	S36° 10' 28'W		
L111	36.00	S36° 10' 28'W		
L112	96.00	N53° 49' 32'W		
L113	36.00	N36° 10' 28'E		
L114	96.00	S53° 49' 32"E		
L115	36.00	S36° 10' 28'W		
L116	96.00	N53° 49' 32'W		
L117	36.00	N36° 10' 28'E		
L118	96.00	S53° 49' 32"E		
L119	44.00	S12° 51' 05'W		
L120	84.00	N77° 08' 55"W		
L121	44.00	N12° 51' 05'E		
L122	84.00	S77° 08' 55"E		
L123	44.00	N11° 25' 39'E		
L124	147.00	S78° 34' 21"E		
L125	44.00	S11° 25' 39'W		
L126	147.00	N78° 34' 21'W		
L127	44.00	N70° 38' 47"W		
L128	210.00	N19° 21' 13'E		

LINE TABLE				LINE TABLE		
LINE #	LENGTH	BEARING	LINE	# LENGTH	BEARING	
L129	44.00	S70° 38' 47"E	L161	36.00	S36° 10' 28"W	
L130	210.00	S19° 21' 13"W	L162	192.00	S53° 49' 32"E	
L131	36.00	S36° 10' 28"W	L163	36.00	S36° 10' 29'W	
L132	192.00	N53° 49' 32"W	L164	192.00	N53° 47' 18'W	
L133	36.00	N36° 10' 28"E	L165	192.00	N53° 49' 32'W	
L134	192.00	S53° 49' 32"E	L166	36.00	S36° 10' 28"W	
L135	36.00	S36° 10' 28"W	L167	36.00	S36° 10' 28"W	
L136	240.00	N53° 49' 32'W	L168	192.00	N53° 49' 32'W	
L137	36.00	N36° 10' 28"E	L169	36.00	N36° 10' 28"E	
L138	240.00	S53° 49' 32"E	L170	192.00	S53° 49' 32"E	
L139	36.00	S36° 12' 42"W	L17*	36.00	S36° 10' 28"W	
L140	192.00	N53° 49' 32'W	L172	192.00	N53° 47' 18'W	
L141	36.00	N36° 10' 28"E	L173	36.00	N36° 12' 42'E	
L142	192.00	S53° 49' 32"E	L174	192.00	S53° 47' 18"E	
L143	36.00	S36° 10' 28"W	L175	36.00	S36° 10' 28"W	
L144	191.98	N53° 49' 32'W	L176	96.00	N53° 49' 32'W	
L145	36.00	N36° 10' 28"E	L177	36.00	N36° 10' 28'E	
L146	192.00	S53° 49' 32'E	L178	96.00	S53° 49' 32"E	
L147	36.00	S36° 10' 28"W	L179	44.00	N83° 09' 27"E	
L148	120.00	N53° 49' 32"W	L180	84.00	S06° 50′ 33″E	
L149	36.00	N36° 10′ 28″E	L181	1 42.00	S06° 50′ 33″E	
L150	120.00	S53° 49' 32'E	L182	44.00	S83° 09' 27"W	
L151	36.00	S36° 10' 28"W	L183	42.00	N06° 50' 33'W	
L152	192.00	N53° 49' 32"W	L184	84.00	N06° 50' 33'W	
L153	36.00	N36° 10' 28"E				
L154	192.00	S53° 49' 32'E				
L155	36.00	S36° 10' 28"W				
L156	288.00	N53° 49' 32"W				
1.457	000.00					








L157 288.00 S53° 49' 32'E L158 36.00 S36° 10' 28'W L159 36.00 \$36° 10' 28'W L160 192.00 N53° 49' 32"W

TYPICAL PRIVATE STREET N.T.S.

BFHGroup



VILLAS AT STONEGATE TABLES & DETAILS



JOB NO. 202110090

SHEET NO. 5

5 OF 5